

With no holes to drill and no screws or rivets needed, self-adhesive bumpers will save you time and money. Kiss-cut for easy application, they simply peel off and press onto almost any smooth surface. They are non-marring, nonstaining, skid and scratch resistant and they won't harden or crack. Use them as spacers, feet, cushions, protectors, vibration and shock absorbers.

Typical applications: glass and wood doors and drawers, small appliances, telephones, furniture, desktop and office equipment, housewares, advertising displays, wall protectors.


Bonding surface guide: aluminum, ceramic, formica, painted surfaces, glass, steel, polyethylene, polypropylene, polystyrene and rigid vinyl. Rubber-based adhesive is stocked and acrylic-based is available. (High surface energy plastics such as formica, acrylic and polycarbonates adhere best to acrylic-based adhesives. Low surface energy plastics such as polyethylene and polypropylene will adhere best to rubber-based adhesives.)

Call for a quote on special shapes and colours available.



Hemisphere

- U2
- U8
- U 15
- U 22
- U 25
- U 39
- U 40
- U 41
- U 42
- U 42SD



Tapered square

- U3
- U 19
- U 29
- U 32



Square

- U4
- U7
- U 36



Circular Depression

- U 17
- U 18
- U 30



Tapered Conical

- U 37
- U 47
- U 57



Cylindrical

- U1
- U 1SD
- U5
- U6
- U 11
- U 24
- U 34
- U 35
- U 410
- U 44
- U 72

Countless Possibilities, Millions Of Solutions
(416) 242-6811



Silent Closing Pyramid

U 33

Part No.	Height (In)	Height (mm)	Width (In)	Width (mm)	Description	3M Equivalent	Pieces per Pad
U-1	0.140	3.56	.50 dia	12.70	Cylindrical	SJ 5012/5001/5312	200
U-1SD	0.140	3.56	.50 dia	12.70	Soft Duro Cylindrical		200
U-2	0.200	5.08	.44 dia	11.18	Hemisphere	SJ 5003/5303	242
U-3	0.230	5.84	.50 sq	12.70	Tapered Square	SJ 5018	200
U-4	0.380	9.65	.78 sq	19.81	Square		1
U-5	0.060	1.52	.50 dia	12.70	Cylindrical		200
U-6	0.250	6.35	.50 dia	12.70	Cylindrical		200
U-7	0.100	2.54	.40 sq	10.16	Square	SJ 5007	242
U-8	0.380	9.65	.70 dia	17.78	Hemisphere	SJ 5017	98
U-11	0.400	10.16	.65 dia	16.51	Cylindrical		128
U-15	0.310	7.87	.62 dia	15.75	Hemisphere	SJ 5027	128
U-17	0.400	10.16	.88 dia	22.35	Circular depression	SJ 5009	72
U-18	0.140	3.56	.50 dia	12.70	Circular depression		200
U-19	0.300	7.62	.81 sq	20.57	Tapered square	SJ 5023	98
U-22	0.210	5.33	.375 dia	9.53	Hemisphere		300
U-24	0.120	3.05	.81 dia	20.57	Cylindrical		72
U-25	0.079	2.01	.250 dia	6.35	Hemisphere		450
U-29	0.250	6.35	.78 sq	19.81	Tapered Square		98
U-30	0.600	15.24	1.81 dia	45.97	Circular depression	SJ 5532	1
U-32	0.120	3.05	.50 sq	12.70	Tapered square	SJ 5008	200
U-33	0.150	3.81	.50 sq	12.70	Special Tapered Sq.		200
U-34	0.125	3.18	.375 dia	9.53	Cylindrical		300
U-35	0.190	4.83	.37 dia	9.40	Cylindrical		200
U-36	0.180	4.57	1.00 sq	25.40	Square		55
U-37	0.560	14.22	.72 dia	18.29	Tapered conical		1 or 4
U-39	0.080	2.03	.75 dia	19.05	Hemisphere		84
U-40	0.060	1.52	.25 dia	6.35	Hemisphere		578

Countless Possibilities, Millions Of Solutions
(416) 242-6811

62 Densley Avenue, Toronto, Ontario Canada M6M 5E1

cordscanada.com

U-41	0.090	2.29	.33 dia	8.38	Hemisphere	SJ 5302	450
U-410	0.200	5.08	.78 dia	19.81	Cylindrical		84
U-42	0.150	3.81	.38 dia	9.65	Hemisphere	SJ 5306	200
U-42SD	0.150	3.81	.38 dia	9.65	Soft Duro Hemisphere		200
U-44	0.160	4.06	.75 dia	19.05	Cylindrical		98
U-47	0.750	19.05	.75 dia	19.05	Tapered conical		1 or 4
U-57	0.886	22.50	.787 dia	19.99	Tapered conical		1 or 4
U-72	0.100	2.54	1.230 dia	31.24	Cylindrical		32

Minimum order 1000

Stock colours: Black or clear.

White, brown and gray available in carton quantity only.

Tolerance all dimensions: $\pm .020$

U 33 not recommended as weight bearing.

User should evaluate product suitability for a specific application under actual use conditions.

Countless Possibilities, Millions Of Solutions
(416) 242-6811

62 Densley Avenue, Toronto, Ontario Canada M6M 5E1

cordscanada.com